## Entropy Densities for Gibbs States and Algebraic States (A joint work with D. Petz)

茨大理 日合文雄 (Fumio Hiai)

## 1. Entropy densities for Gibbs states

First we briefly survey Gibbs states of quantum spin systems. See [4] for more details. A quantum spin system over  $\nu$ -dimensional cubic lattice  $\mathbf{Z}^{\nu}$  is described as the infinite tensor product  $C^*$ -algebra  $\mathcal{A} = \bigotimes_{x \in \mathbf{Z}^{\nu}} \mathcal{A}_x$ ,  $\mathcal{A}_x = M_d(\mathbf{C})$  being the  $d \times d$  matrix algebra; namely  $\mathcal{A}$  is the norm completion of  $\bigcup_{\Lambda} \mathcal{A}_{\Lambda}$ , the union of all local algebras  $\mathcal{A}_{\Lambda} = \bigotimes_{x \in \Lambda} \mathcal{A}_x$  for finite regions  $\Lambda \subset \mathbf{Z}^{\nu}$ . The space-translation on  $\mathcal{A}$  is denoted by  $\gamma_x$  ( $x \in \mathbf{Z}^{\nu}$ ), which satisfies  $\gamma_x(\mathcal{A}_{\Lambda}) = \mathcal{A}_{\Lambda+x}$  and the asymptotic abelianness property. A translation-invariant interaction  $\Phi$  is a function from the finite  $X \subset \mathbf{Z}^{\nu}$  into the selfadjoint elements of  $\mathcal{A}$  such that  $\Phi(X) \in \mathcal{A}_X$  and  $\gamma_x(\Phi(X)) = \Phi(X+x)$  for all  $X \subset \mathbf{Z}^{\nu}$  and  $x \in \mathbf{Z}^{\nu}$ . Then for each finite region  $\Lambda$  the local Hamiltonian  $H(\Lambda)$  and the surface energy  $W(\Lambda)$  are given as

$$H(\Lambda) = \sum_{X \subset \Lambda} \Phi(X), \qquad W(\Lambda) = \sum_{\substack{X \cap \Lambda \neq \emptyset \\ X \cap \Lambda^c \neq \emptyset}} \Phi(X).$$

We assume in the following that an interaction  $\Phi$  is of relatively short range and of finite body; namely  $\sum_{\Lambda\ni 0}||\Phi(\Lambda)||/|\Lambda|<+\infty$  and there exists  $N_0$  such that  $\Phi(\Lambda)=0$  if  $|\Lambda|>N_0$ . This is the case if  $\Phi$  is of finite range, i.e. there exists  $d_0$  such that  $\Phi(\Lambda)=0$  if  $d(\Lambda)>d_0$   $(d(\Lambda)$  denotes the diameter of  $\Lambda$ ).

Given an interaction  $\Phi$  and an inverse temperature  $\beta$  (> 0) the local Gibbs state  $\varphi^c_{\Lambda}$  on a local algebra  $\mathcal{A}_{\Lambda}$  is the canonical state:

$$arphi_{\Lambda}^{c}(a) = rac{\mathrm{Tr}_{\Lambda} a e^{-eta H(\Lambda)}}{\mathrm{Tr}_{\Lambda} e^{-eta H(\Lambda)}}, \qquad a \in \mathcal{A}_{\Lambda},$$

where  $\operatorname{Tr}_{\Lambda}$  is the canonical trace on  $\mathcal{A}_{\Lambda}$ . In order to state the Gibbs condition we recall the inner perturbation of a state. For a state  $\varphi$  on  $\mathcal{A}$  and  $h = h^* \in \mathcal{A}$  the perturbed state  $[\varphi^h]$  is defined as the unique minimizer of the weakly\* lower semicontinuous strictly convex functional  $\omega \mapsto S(\omega, \varphi) + \omega(h)$  on the state space of  $\mathcal{A}$ , where  $S(\omega, \varphi)$  is the relative entropy. Then  $\varphi$  is said to satisfy the Gibbs condition (with respect to  $\Phi$  and  $\beta$ ) if  $[\varphi^{-\beta W(\Lambda)}]|_{\mathcal{A}_{\Lambda}} = \varphi_{\Lambda}^c$  for any finite  $\Lambda \subset \mathbf{Z}^{\nu}$ . This definition of the Gibbs condition is a bit weaker than the usual one, but both are equivalent under the above assumption of  $\Phi$ .

As thermodynamic limit  $\Lambda \to \infty$  we consider the limit along the parallelepipeds; namely  $\Lambda = \{x \in \mathbf{Z}^{\nu} : 0 \le x_i < a_i, i = 1, ..., \nu\}$  tends to infinity with  $a_i \to \infty$  for  $i = 1, ..., \nu$ . (Indeed, most results below hold true in a more general limit of van Hove.)

In the above situation we state the central result concerning Gibbs states as follows. For a translation-invariant state  $\varphi$  of  $\mathcal{A}$  the following three conditions are equivalent:

- (i)  $\varphi$  satisfies the Gibbs condition with respect to  $\Phi$  and  $\beta$ ;
- (ii)  $\varphi$  satisfies the KMS condition with respect to  $\sigma_t$  and  $\beta$  where

$$\sigma_t(a) = \lim_{\Lambda} e^{itH(\Lambda)} a e^{-itH(\Lambda)}, \qquad a \in \mathcal{A};$$

(iii)  $\varphi$  satisfies the variational principle:

$$s(\varphi) = \beta \varphi(A_{\Phi}) + p(\beta, \Phi),$$

where

$$s(\varphi) = \lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S(\varphi_{\Lambda}) \quad (\varphi_{\Lambda} = \varphi | \mathcal{A}_{\Lambda}),$$

$$A_{\Phi} = \sum_{\Lambda \ni 0} \frac{\Phi(\Lambda)}{|\Lambda|},$$

$$p(\beta, \Phi) = \lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} \log \operatorname{Tr}_{\Lambda} e^{-\beta H(\Lambda)}.$$

 $(s(\varphi))$  is called the mean entropy and  $p(\beta, \Phi)$  the pressure or the free energy.)

Via the GNS representation  $\pi_{\varphi}$  of  $\mathcal{A}$  induced by the Gibbs state  $\varphi$ , we have a von Neumann algebra  $\mathcal{M} = \pi_{\varphi}(\mathcal{A})''$  and a faithful normal state  $\bar{\varphi}$  so that  $\varphi = \bar{\varphi} \circ \pi_{\varphi}$ . A net  $\{x_j\}$  in  $\mathcal{M}$  is said to converge almost uniformly to  $x \in \mathcal{M}$  if for every  $\varepsilon > 0$  there exists a projection  $q \in \mathcal{M}$  such that  $\bar{\varphi}(q) \geq 1 - \varepsilon$  and  $||(x_j - x)q|| \to 0$ . The following result resembles the McMillan theorem form information theory.

**Theorem 1.1.** Assume that  $\varphi$  is an ergodic Gibbs state for  $\Phi$ .

(1)

$$\lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} \pi_{\varphi}(-\log D_{\Lambda}) = s(\varphi)I \text{ strongly.}$$

(2) If  $\nu = 1$  and  $\Phi$  is of finite range, then

$$\lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} \pi_{\varphi}(-\log D_{\Lambda}) = s(\varphi)I \text{ almost uniformly.}$$

(Indeed the almost uniform convergence holds true also when  $\nu > 1$  but  $\beta < \beta_0$  for some  $\beta_0 > 0$  determined by  $\Phi$ .)

The above (2) was proved in [6] by using the noncommutative ergodic theorem [10] and Araki's deep analysis on Gibbs states [2, 3].

We define for  $0 < \varepsilon < 1$ 

$$\beta_{\varepsilon}(\varphi_{\Lambda}) = \min\{\log \operatorname{Tr}_{\Lambda} q : q \in \mathcal{A}_{\Lambda} \text{ is a projection with } \varphi(q) \geq 1 - \varepsilon\}.$$

If  $\lambda_1 \geq \lambda_2 \geq \ldots$  is the eigenvalue list of the density matrix of  $\varphi_{\Lambda}$ , then  $\beta_{\varepsilon}(\varphi_{\Lambda})$  is given by

$$eta_{arepsilon}(arphi_{\Lambda}) = \log igg(\min igg\{N: \sum_{i=1}^{N} \lambda_i \geq 1 - arepsilonigg\}igg).$$

The following illustrates the macroscopic uniformity which is a basic feature of statistical mechanical systems, and it resebles the asymptotic equipartition property of information theory.

**Theorem 1.2.** Assume that  $\varphi$  is an ergodic Gibbs state for  $\Phi$ .

(1) For every  $0 < \varepsilon < 1$ 

$$\lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} \beta_{\varepsilon}(\varphi_{\Lambda}) = s(\varphi).$$

(2) If the surface energies  $W(\Lambda)$  are uniformly bounded, then for every  $0 < \varepsilon < 1$ 

$$\lim_{\Lambda o \infty} rac{1}{|\Lambda|} eta_{m{arepsilon}}(arphi_{\Lambda}) = \lim_{\Lambda o \infty} rac{1}{|\Lambda|} eta_{m{arepsilon}}(arphi_{\Lambda}^{
m c}) = s(arphi).$$

(Note in this case that the Gibbs state is unique, i.e. the phase transition does not occur.)

(3) If  $\nu = 1$  and  $\Phi$  is of finite range, then

$$\lim_{n\to\infty}\frac{\beta_{\varepsilon}(\varphi_{[1,n]})}{n}=\lim_{n\to\infty}\frac{\beta_{\varepsilon}(\varphi_{[1,n]}^c)}{n}=\lim_{n\to\infty}\frac{S(\varphi_{[1,n]})}{n}=\lim_{n\to\infty}\frac{S(\varphi_{[1,n]}^c)}{n}.$$

For a translation-invariant state  $\omega$ , the limit

$$h(\omega|\beta, \Phi) = \lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S(\omega_{\Lambda}, \varphi_{\Lambda}^{c})$$

exists due to the existence of the mean entropy and the pressure. In fact, we have

$$h(\omega|\beta, \Phi) = -s(\omega) + \beta\omega(A_{\Phi}) + p(\beta, \Phi),$$

and  $\omega$  is a Gibbs state for  $\Phi$  if and only of  $h(\omega|\beta,\Phi)=0$ .

For states  $\psi_1, \psi_2$  on a matrix algebra  $\mathcal{B}$ , a variant of the relative entropy is defined as

$$S_{\text{co}}(\psi_1, \psi_2) = \max \left\{ \sum_{i} \psi_1(q_i) \log \frac{\psi_1(q_i)}{\psi_2(q_i)} : q_i \text{ are projections in } \mathcal{B}, \sum_{i} q_i = I \right\}$$
$$= \max \{ S(\psi_1 | \mathcal{C}, \psi_2 | \mathcal{C}) : \mathcal{C} \text{ is a commutative } \mathcal{C}^*\text{-subalgebra of } \mathcal{B} \}.$$

The monotonicity of relative entropy implies  $S_{co}(\psi_1, \psi_2) \leq S(\psi_1, \psi_2)$  and this inequality is strict except for the case of  $\psi_1, \psi_2$  having the commuting densities.  $S_{co}$  may be related to measurements described by projection-valued measures.

**Theorem 1.3.** Let  $\omega$  be a translation-invariant state on A.

(1)  $\lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S_{\text{co}}(\omega_{\Lambda}, \varphi_{\Lambda}^{c}) = h(\omega | \beta, \Phi).$ 

(2) If  $\nu = 1$ ,  $\Phi$  is of finite range, and  $\varphi$  is the Gibbs state for  $\Phi$ , then

$$\lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S_{\text{co}}(\omega_{\Lambda}, \varphi_{\Lambda}^{c}) = \lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S_{\text{co}}(\omega_{\Lambda}, \varphi_{\Lambda}) = \lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S(\omega_{\Lambda}, \varphi_{\Lambda}) = h(\omega|\beta, \Phi).$$

(Indeed this is true also when  $\nu > 1$  but  $\beta < \beta_0$  for some  $\beta_0 > 0$ .)

In the case (2), the mean relative entropy

$$S_{\mathbf{M}}(\omega,\varphi) = \lim_{\Lambda \to \infty} \frac{1}{|\Lambda|} S(\omega_{\Lambda}, \varphi_{\Lambda})$$

exists, and the relative entropy S and its variant  $S_{co}$  have the same asymptotic limit. The particular case when  $\varphi$  is a product state was shown in [7].

The results in Section 1 were given in [8] except Theorem 1.1(2) in [6].

## 2. Entropy densities for algebraic states

An algebraic state is a translation-invariant state on one-dimensional quantum spin system  $\mathcal{A} = \bigotimes_{x \in \mathbb{Z}} \mathcal{A}_x$ ,  $\mathcal{A}_x = M_d(\mathbb{C})$ , which is a slight generalization of "quantum Markov states" [1] and identical to "C\*-finitely correlated states" introduced in [5]. The definition is as follows: Let  $\mathcal{B}$  be a finite-dimensional C\*-algebra, and let a completely positive unital map  $\mathcal{E} : M_d(\mathbb{C}) \otimes \mathcal{B} \to \mathcal{B}$  and a state  $\rho$  on  $\mathcal{B}$  be given so that

$$\rho(\mathcal{E}(I\otimes b))=\rho(b), \qquad b\in\mathcal{B}.$$

For any  $a \in M_d(\mathbb{C})$  define  $\mathcal{E}_a : \mathcal{B} \to \mathcal{B}$  by  $\mathcal{E}_a(b) = \mathcal{E}(a \otimes b)$ ,  $b \in \mathcal{B}$ . Then the algebraic state  $\varphi$  generated by  $(\mathcal{B}, \mathcal{E}, \rho)$  is given as

$$\varphi(a_0 \otimes a_1 \otimes \cdots \otimes a_n) = \rho(\mathcal{E}_{a_0} \circ \mathcal{E}_{a_1} \circ \cdots \circ \mathcal{E}_{a_n}(I))$$

for  $a_0, \ldots, a_n \in M_d(\mathbf{C})$ . Here the complete positivity of  $\mathcal{E}$  ensures the positivity of  $\varphi$ .

The ergodicity and the strong mixing for algebraic states are characterized in several ways as follows. (1) was shown in [5].

**Proposition 2.1.** Let  $\varphi$  be an algebraic state generated by  $(\mathcal{B}, \mathcal{E}, \rho)$ .

- (1) The following conditions are equivalent:
  - (i)  $\varphi$  is ergodic;
  - (ii)  $\mathcal{E}_I$  is irreducible, i.e. I is the only eigenvector of  $\mathcal{E}_I$  with respect to the eigenvalue 1.
- (2) The following conditions are equivalent:
  - (i)  $\varphi$  is strongly mixing;
  - (ii)  $\varphi$  is weakly mixing;
  - (iii)  $\varphi$  is completely ergodic;
  - (iv)  $\mathcal{E}_I$  is primitive, i.e.  $\mathcal{E}_I^n$  is irreducible for all  $n \in \mathbb{N}$ ;
  - (v)  $\lim_{n\to\infty} \mathcal{E}_I^n(x) = \rho(x)I$  for all  $x \in \mathcal{B}$ .

Let  $\psi_1, \psi_2$  be states on a matrix algebra  $\mathcal{B}$ . For  $0 < \varepsilon < 1$  we define another type of relative entropy quantity as follows:

$$\beta_{\varepsilon}(\psi_1, \psi_2) = \inf\{\log \psi_2(q) : q \text{ is a projection in } \mathcal{B}, \psi_1(q) \geq 1 - \varepsilon\}.$$

This quantity has a natural meaning from the viewpoint of quantum hypothesis testing (see [7]).

The following are our main results in [9].

**Theorem 2.2.** Assume that  $\varphi$  be a strongly mixing algebraic state on  $\mathcal{A}$ . Let  $\varphi_n = \varphi | \mathcal{A}_{[1,n]}$ .

(1) For every  $0 < \varepsilon < 1$ 

$$\lim_{n\to\infty}\frac{1}{n}\beta_{\varepsilon}(\varphi_n)=s(\varphi).$$

(2) For every translation-invariant state  $\omega$  on  $\mathcal{A}$ , the mean relative entropy  $S_{\mathbf{M}}(\omega,\varphi)$  exists and

$$\lim_{n\to\infty} \frac{1}{n} S_{\text{co}}(\omega_n, \varphi_n) = S_{\mathbf{M}}(\omega, \varphi).$$

(3) For every completely ergodic state  $\omega$  on A and  $0 < \varepsilon < 1$ 

$$\limsup_{n\to\infty} \frac{1}{n} \beta_{\varepsilon}(\omega_n, \varphi_n) \le -S_{\mathbf{M}}(\omega, \varphi),$$

$$\liminf_{n\to\infty}\frac{1}{n}\beta_{\varepsilon}(\omega_n,\varphi_n)\geq -\frac{1}{1-\varepsilon}S_{\mathbf{M}}(\omega,\varphi).$$

The above (3) shows that we obtain  $\exp\{\frac{1}{n}\beta_{\varepsilon}(\omega_n,\varphi_n)\} \approx \exp\{-S_{\mathbf{M}}(\omega,\varphi)\}$  for large n and small  $\varepsilon$ . To prove the theorem, we need the next result which says that strongly mixing algebraic states have a certain property of approximately product type.

**Proposition 2.3.** Let  $\varphi$  be the algebraic state generated by  $(\mathcal{B}, \mathcal{E}, \rho)$ . Then  $\varphi$  is strongly mixing if and only if for any  $\alpha > 1$  there exists  $l \in \mathbb{N}$  such that for all  $m \in \mathbb{N}$ 

$$\alpha^{-1}(\varphi|\mathcal{A}_{(-\infty,m]}) \otimes (\varphi|\mathcal{A}_{[m+l+1,\infty)}) \leq \varphi|\mathcal{A}_{(-\infty,m]\cup[m+l+1,\infty)}$$
  
$$\leq \alpha(\varphi|\mathcal{A}_{(-\infty,m]}) \otimes (\varphi|\mathcal{A}_{[m+l+1,\infty)}).$$

## References

- [1] L. Accardi and A. Frigerio, Markovian cocycles, *Proc. Roy. Irish Acad.* 83A(2) (1983), 251–263.
- [2] H. Araki, Gibbs states of a one dimensional quantum lattice, Commun. Math. Phys. 14 (1969), 120-157.
- [3] H. Araki, Positive cone, Radon-Nikodym theorems, relative Hamiltonian and the Gibbs condition in statistical mechanics. An application of the Tomita-Takesaki theory, in *Proc. Internat. School of Physics (Enrico Fermi)*, pp. 64-100 (1976).
- [4] O. Bratteli and D.W. Robinson, Operator Algebras and Quantum Statistical Mechanics II, Springer, New York-Heidelberg-Berlin, 1981.
- [5] M. Fannes, B. Nachtergaele, and R.F. Werner, Finitely correlated states on quantum spin chains, *Comm. Math. Phys.* **144** (1992), 443–490.
- [6] F. Hiai, M. Ohya and D. Petz, McMillan type convergence for quantum Gibbs states, preprint.
- [7] F. Hiai and D. Petz, The proper formula for relative entropy and its asymptotics in quantum probability, Comm. Math. Phys. 143 (1991), 99-114.
- [8] F. Hiai and D. Petz, Entropy densities for Gibbs states of quantum spin systems, Rev. Math. Phys. (to appear).
- [9] F. Hiai and D. Petz, Entropy densities for algebraic states, preprint.
- [10] E.C. Lance, Ergodic theorem for convex sets and operator algebras, *Invent. Math.* 37 (1976), 201–214.