

Observability, Controllability, and Feedback Stabilizability
for Evolution Equations

(発展方程式に対する可観測性, 可制御性との
フィードバック安定化可能性)

東大・理 山本昌宏 (Masahiro YAMAMOTO)
東大・理 鈴木 貴 (Takashi SUZUKI)

§1. Introduction.

Recently several authors have been interested in the feedback stabilization of evolution equations. ([8], [9], [10], [14], [15], [16], [19], [21] and [22]). Our purpose here is to give some refinements of [14] by an abstract method.

Let X be a Banach space over \mathbb{C} , and let $-A$ be a generator of a (C_0) semi-group $\{e^{-tA}\}_{t \geq 0}$ in X (Hille and Phillips [4], Yosida [25]). The mild solution $u = u(t) \in C([0, \infty) \rightarrow X)$ of

$$\begin{cases} (1.1) & \frac{du}{dt} + Au = 0 \quad (t \geq 0) \\ (1.2) & u(0) = a \end{cases} .$$

is given by $u(t) = e^{-tA}a$, and (1.1) is called a "free system". We suppose that (1.1) is unstable. Then we want to construct its stable modification in the following sense :

Let $S : X \longrightarrow \mathbb{C}^N$ and $T : \mathbb{C}^N \longrightarrow X$ be bounded linear operators, \mathbb{C}^N being the N -dimensional complex vector space.

We consider the equation

$$(1.3) \quad \frac{dv}{dt} + Av = TSv \quad (t \geq 0)$$

with

$$(1.4) \quad v(0) = a .$$

We put $B = TS$, which is nothing but a bounded linear operator on X of finite rank, and (1.3) is called a "feedback system" of (1.1). From the practical point of view, S and T may be called a "sensor" and a "controller" , respectively, and the pair $\langle T, S \rangle$ is called a "feedback".

It is known that $-(A - B)$ generates a (C_0) semi-group, which is denoted by $\{e^{-t(A-B)}\}_{t \geq 0}$. The mild solution $v = v(t) \in C(\lceil 0, \infty) \rightarrow X$) of (1.3) with (1.4) is given by $v(t) = e^{-t(A-B)}a$ (Kato [5]).

Definition 1.

For $\omega \in \mathbb{R}$, $\langle T, S \rangle$ is said to be " ω -(feedback) stabilizable" (in X) with respect to e^{-tA} if

$$(1.5) \quad \|e^{-t(A-B)}\|_{X \rightarrow X} \leq Me^{-t\omega} \quad (t \geq 0)$$

holds for some constant $M > 0$. □

We are interested in constructing ω -stabilizable feedback

$\langle T, S \rangle$ for $\omega \geq 0$, in the case that the free system (1.1) is unstable, that is,

$$\inf \{ \operatorname{Re} \lambda; \lambda \in \sigma(A) \} < 0.$$

Here $\sigma(A)$ denotes the spectrum of A .

We introduce the following notions for the sensor S and for the controller T , according to Fattorini [2], Sakawa [12, 13], Triggiani [20], etc.

Let $Y \subset X$ be a closed linear subspace:

Definition 2.

A sensor $S : X \longrightarrow \mathbb{C}^N$ is said to be "Y-observable" (in X) with respect to e^{-tA} if the conditions $a \in Y$ and $Se^{-tA}a = 0$ ($0 \leq t < \infty$) imply $a = 0$. \square

Henceforth \bar{Z} denotes the closure of $Z \subset X$ in X .

Definition 3.

A controller $T : \mathbb{C}^N \longrightarrow X$ is said to be "Y-controllable" (in X) with respect to e^{-tA} if $\bar{Z} \supset Y$, where $Z = \bigcup_{t>0} Z_t$

with $Z_t = \left\{ \int_0^t e^{-(t-s)A} T f(s) ds; f \in L^2(0, t)^N \right\}$. \square

Here we note that $v(t) = \int_0^t e^{-(t-s)A} T f(s) ds$ is a mild solution of

$$(1.6) \quad \frac{dv}{dt} + Av = Tf(t) \quad (t \geq 0)$$

with

$$(1.7) \quad v(0) = 0 .$$

As for the free system (1.1), we assume the following hypotheses:

Assumption 1.

The spectrum of A , $\sigma(A)$, is divided into two subsets Σ_0 and Σ_1 . Furthermore, Σ_0 is bounded, and the relation

$$(1.8) \quad \kappa_0 = \sup \{ \operatorname{Re} \lambda ; \lambda \in \Sigma_0 \} < \inf \{ \operatorname{Re} \lambda ; \lambda \in \Sigma_1 \}$$

holds true.

There exists a Jordan curve Γ which surrounds Σ_0 and, at the same time, separates Σ_0 and Σ_1 . We put

$$(1.9) \quad P = \frac{1}{2\pi\sqrt{-1}} \int_{\Gamma} (\lambda - A)^{-1} d\lambda .$$

□

Assumption 2.

The estimate

$$(1.10) \quad \|(1 - P)e^{-tA}\|_{X \rightarrow X} \leq M_1 e^{-t\kappa_1} \quad (t \geq 0)$$

holds for a $\kappa_1 > \kappa_0$.

□

Assumption 3.

We have the finite dimensionality of X_0 , that is,

$$(1.11) \quad m = \dim X_0 < \infty,$$

where

$$(1.12) \quad X_0 = PX.$$

□

Now our theorems are stated as follows:

Theorem 1.

Let a sensor $S : X \longrightarrow \mathbb{C}^N$ and a real number ω satisfying $\kappa_0 < \omega \leq \kappa_1$ be given. Then, there exists a controller $T : \mathbb{C}^N \longrightarrow X$ such that the feedback $\langle T, S \rangle$ is ω -stabilizable with respect to e^{-tA} if and only if S is X_0 -observable with respect to e^{-tA} .

□

Theorem 2.

Let a controller $T : \mathbb{C}^N \longrightarrow X$ and a real number ω satisfying $\kappa_0 < \omega \leq \kappa_1$ be given. Then, there exists a sensor $S : X \longrightarrow \mathbb{C}^N$ such that the feedback $\langle T, S \rangle$ is ω -stabilizable with respect to e^{-tA} if and only if T is X_0 -controllable with respect to e^{-tA} .

□

These theorems are abstract versions of the results in Sakawa and Matsushita [14] for parabolic equations in bounded domains.

In fact, in later sections, X_0 -observability and X_0 -controllability are shown to be equivalent to similar rank conditions given in [14]. However, the following points should be noted: First we shall propose to use a simple argument in the proof, applicable to other problems on the feedback stabilization. For this point, see our forthcoming papers. Secondly our theorems actually give refinements of [14]. In fact,

(a) The operator need not be self-adjoint nor a generator of a holomorphic semi-group.

(b) The best possible exponent κ_1 can be taken as ω in constructing the feedback $\langle T, S \rangle$.

For example, we can apply our theorems to the parabolic equation

$$\frac{\partial u}{\partial t} = \Delta u - V(x)u \quad \text{in } L^2(\mathbb{R}^3)$$

with $V(x) = O(|x|^{-2-\varepsilon})$ ($\varepsilon > 0$) as $|x| \rightarrow \infty$,

to construct zero-stabilizable feedback $\langle T, S \rangle$, since this operator $-\Delta + V$ is self-adjoint and $\sigma(-\Delta + V) = [0, \infty) \cup \{\lambda_i; 1 \leq i \leq \ell\}$ with $\lambda_i < 0$. See Kuroda [7], for instance.

Theorems 1 and 2 are constructively proved. In a forthcoming paper, we shall discuss certain concrete problems, where, applying Theorems 1 and 2, we shall refine some theorems due to Nambu [9, 10] and Triggiani [21] on "boundary sensors", Yamamoto [24] on "pointwise sensors" and Triggiani [22] on

"boundary controllers".

This paper is composed of six sections. In §2, we show that the observability is equivalent to certain rank conditions even if A is not self-adjoint. In §3, we show a key estimate on $\|e^{-t(A-B)}\|_{X \rightarrow X}$. Theorem 1 is proved in §4. In §5, we state the duality between observability and controllability, and show the equivalence of controllability and certain rank conditions. In virtue of this duality, we reduce Theorem 2 to Theorem 1 in §6.

§2. Observability and rank conditions.

In this section, we show that the observability is equivalent to what is called, the rank conditions even if A is not self-adjoint. We recall that

$$(2.1) \quad X_0 = PX, \quad m = \dim X_0 < \infty,$$

and we put

$$(2.2) \quad \begin{aligned} A_0 &= A|_{X_0} \\ &= \frac{1}{2\pi\sqrt{-1}} \int_{\Gamma} \lambda(\lambda - A)^{-1} d\lambda|_{X_0}. \end{aligned}$$

The operator $A_0 : X_0 \longrightarrow X_0$ is linear on the finite dimensional space X_0 , so that $e^{-tA_0} : X_0 \longrightarrow X_0$ is well-defined. We first note the followings.

Lemma 1.

A sensor $S : X \longrightarrow \mathbb{C}^N$ is X_0 -observable in X with respect to e^{-tA} if and only if

$$(2.3) \quad S_0 = S|_{X_0} : X_0 \longrightarrow \mathbb{C}^N$$

is X_0 -observable in X_0 with respect to e^{-tA_0} . \square

Proposition 1 (the first rank condition).

A sensor $S : X \longrightarrow \mathbb{C}^N$ is X_0 -observable in X with respect to e^{-tA} if and only if

$$(2.4) \quad \text{rank} (S_0^*, A_0^* S_0^*, \dots, (A_0^*)^{m-1} S_0^*) = m,$$

where \cdot^* denotes the dual operator in consideration. \square

Let $\sigma_p(A)$ be the set of the eigenvalues of A . The assumption of $\dim X_0 = m < \infty$ implies that Σ_0 is contained in $\sigma_p(A)$, and also that the number of elements in Σ_0 is finite. We set $\Sigma_0 = \{\lambda_i\}_{1 \leq i \leq l}$. For a sufficiently small circle Γ_i with center at λ_i , the projection

$$(2.5) \quad P_i = \frac{1}{2\pi\sqrt{-1}} \int_{\Gamma_i} (\lambda - A)^{-1} d\lambda$$

can be defined, and we get $\sum_{i=1}^{\ell} P_i = P$. Let

$$(2.6) \quad m_i = \dim P_i X \quad \text{and} \quad n_i = \dim \text{Ker}(\lambda_i - A).$$

Then we have $m = \sum_{i=1}^{\ell} m_i$ and $n_i \leq m_i$ (Kato [5]).

Let $\{\varphi_{ij}\}_{1 \leq j \leq n_i}$ be a basis of $\text{Ker}(\lambda_i - A)$ ($1 \leq i \leq \ell$). The following proposition was shown by Fattorini [2], Sakawa [12, 13] and Triggiani [20], in the case that A is self-adjoint. We can prove it along the line of Suzuki [17, 18]. Its proof is given in [26]. See also Hautus [3]. Henceforth X^* means the dual space of X :

Proposition 2 (the second rank condition).

Let $S : X \longrightarrow \mathbb{C}^N$ be a sensor :

$$(2.7) \quad S = {}^t(S_1, S_2, \dots, S_N) : X \longrightarrow \mathbb{C}^N, \\ S_k \in X^* \quad (1 \leq k \leq N).$$

Then S is X_0 -observable in X with respect to e^{-tA} if and only if

$$(2.8) \quad \text{rank } M_i = n_i \quad (1 \leq i \leq \ell),$$

where M_i is an $N \times n_i$ matrix defined by

$$(2.9) \quad M_i = (X^* \langle S_k, \varphi_{ij} \rangle X)_{1 \leq k \leq N, 1 \leq j \leq n_i}. \quad \square$$

§3. A stabilization estimate.

In this section, we derive an estimate on $\|e^{-t(A-B)}\|_{X \rightarrow X}$, which is useful later. We recall that $-A$ is a generator of a (C_0) semi-group in X , satisfying Assumptions 1-3. The operator $B = TS$ is a bounded linear operator on X of finite rank, and the equation

$$(3.1) \quad \frac{du}{dt} + Au = Bu \quad (t \geq 0)$$

represents the feedback system of (1.1). We set

$$(3.2) \quad X_0 = PX, \quad X_1 = (1 - P)X,$$

$$(3.3) \quad A_0 = A|_{X_0}, \quad A_1 = A|_{X_1}$$

and

$$(3.4) \quad B_0 = PB|_{X_0}.$$

The operators $A_0, B_0 : X_0 \rightarrow X_0$ are linear on the finite dimensional space X_0 , hence $e^{-t(A_0 - B_0)}$ is well-defined.

On the other hand, $-A_1 : X_1 \rightarrow X_1$ generates a (C_0) semi-group e^{-tA_1} on X_1 , which can be written as

$$(3.5) \quad e^{-tA_1} = (1 - P)e^{-tA}|_{X_1}.$$

Therefore the estimate

$$(3.6) \quad \|e^{-tA_1}\|_{X_1 \rightarrow X_1} \leq M_1 e^{-t\kappa_1} \quad (t \geq 0)$$

holds true by (1.10). Here we further assume the following.

There exists some constant ω_0 with $\omega_0 > \kappa_1$ such that the estimate

$$(3.7) \quad \|e^{-t(A_0 - B_0)}\|_{X_0 \rightarrow X_0} \leq M_0 e^{-t\omega_0} \quad (t \geq 0)$$

holds true. Then we can show the following ([26]).

Theorem 3.

Under the assumption stated above, the estimate

$$(3.8) \quad \|e^{-t(A-B)}\|_{X \rightarrow X} \leq M \exp(-t \{ \kappa_1 - M_1(\beta_1 + \frac{\alpha_1 \beta_0 M_0}{\omega_0 - \kappa_1}) \})$$

holds for some constant $M > 0$, where

$$(3.9) \quad \beta_0 = \|PB(1-P)\|_{X \rightarrow X},$$

$$(3.10) \quad \beta_1 = \|(1-P)B(1-P)\|_{X \rightarrow X}$$

and

$$(3.11) \quad \alpha_1 = \|(1-P)BP\|_{X \rightarrow X} \quad \square$$

§4. Proof of Theorem 1.

Now we prove Theorem 1 stated in §1 :

Firstly we suppose that there exists a controller T :

$\mathbb{C}^N \longrightarrow X$ such that

$$(4.1) \quad \|e^{-t(A-TS)}\|_{X \rightarrow X} \leq M e^{-t\omega}$$

for some ω satisfying $\kappa_0 < \omega \leq \kappa_1$. We show that

$S : X \longrightarrow \mathbb{C}^N$ is X_0 -observable with respect to e^{-tA} .

To this end, we assume

$$(4.2) \quad a \in X_0 \text{ and } S e^{-tA} a = 0 \quad (0 \leq t < \infty),$$

and put $u(t) = e^{-tA} a$. Since $a \in X_0 \subset \mathcal{D}(A)$, $u = u(t) \in C^1(\langle 0, \infty \rangle \rightarrow X)$ is the strong solution of

$$\begin{cases} \frac{du}{dt} + Au = 0 = TSu & (t \geq 0) \\ u(0) = a \end{cases}$$

Therefore we may get

$$(4.3) \quad u(t) = e^{-t(A-TS)} a,$$

whence we have

$$(4.4) \quad \|u(t)\| \leq M e^{-t\omega} \|a\| \quad (t \geq 0)$$

by (4.1). On the other hand, in view of $a \in X_0$ we have for some positive integers q_i ,

$$(4.5) \quad u(t) = e^{-tA_0} a \\ = \sum_{i=1}^{\ell} e^{-t\lambda_i} \sum_{j=0}^{q_i-1} \frac{(-t)^j}{j!} D_i^j a \quad (t \geq 0).$$

We now substitute (4.5) into (4.4). Noting $\operatorname{Re} \lambda_i \leq \kappa_0 < \omega$ ($1 \leq i \leq \ell$), we obtain $D_i^j a = 0$ ($1 \leq i \leq \ell$, $0 \leq j \leq q_i - 1$), and, in particular, $a = Pa = 0$.

Conversely we suppose that S is X_0 -observable. Then,

$$\operatorname{rank} (S_0^*, A_0^* S_0^*, \dots, (A_0^*)^{m-1} S_0^*) = m$$

by Proposition 1 of §2. By Wonham's pole assignment theorem ([23]), there exists a linear operator $T_0 : \mathbb{C}^N \rightarrow X_0$ such that

$$\inf \{ \operatorname{Re} \lambda ; \lambda \in \sigma(A_0 - T_0 S_0) \} > \kappa_1.$$

We then have

$$(4.6) \quad \|e^{-t(A_0 - T_0 S_0)}\|_{X_0 \rightarrow X_0} \leq M_0 e^{-t\omega_0} \quad (t \geq 0)$$

for some constants $M_0 > 0$ and $\omega_0 > \kappa_1$. We put

$$(4.7) \quad B = T_0 S : X \longrightarrow X .$$

Since $(1 - P)B = 0$, we can take $\alpha_1 = \beta_1 = 0$ in Theorem 3 of §3. Therefore we get

$$(4.8) \quad \|e^{-t(A-B)}\| \leq M e^{-t\kappa_1} \quad (t \geq 0) ,$$

so that $\langle T_0, S \rangle$ is κ_1 -stabilizable with respect to e^{-tA} . \square

§5. Duality between observability and controllability.

The duality between observability and controllability is well-known (Dolecki and Russell [1]). We here show it as a version concerning "Y-observability" and "Y-controllability".

For a closed linear subspace $Y \subset X$, Y^* and Y^\perp denotes the dual space of Y and the orthogonal complement of Y , respectively ;

$$Y^* = \{g ; g \text{ is a bounded linear functional on } Y.\}$$

$$Y^\perp = \{g \in X^* ; g|_Y = 0\} .$$

We recall

$$P = \frac{1}{2\pi\sqrt{-1}} \int_{\Gamma} (\lambda - A)^{-1} d\lambda ,$$

$$X_0 = PX$$

and

$$X_1 = (1 - P)X .$$

From the direct sum decomposition

$$(5.1) \quad X = X_0 \oplus X_1 ,$$

we have the isomorphisms

$$(5.2) \quad X_1^{\perp} \cong X_0^* \quad \text{and} \quad X_0^{\perp} \cong X_1^* .$$

In particular, we have $\dim X_1^{\perp} = \dim X_0^* = m < \infty$.

Also, we have

$$(5.3) \quad X_1^{\perp} = P^* X^* , \quad X_0^{\perp} = (1 - P^*) X^* ,$$

$$(5.4) \quad P^* = \frac{1}{2\pi\sqrt{-1}} \int_{\Gamma} (\lambda - A^*)^{-1} d\lambda$$

and

$$(5.5) \quad X^* = X_1^{\perp} \oplus X_0^{\perp} .$$

For the operator $A_0 \equiv A|_{X_0}$, we denote its dual operator by A_0^* . Then $e^{-tA_0^*} : X_0^* \longrightarrow X_0^*$ is defined and we have

$$(5.6) \quad (e^{-tA})^* \Big|_{X_1^\perp} \cong e^{-tA_0^*} \quad (\text{by } X_1^\perp \cong X_0^*) .$$

Also, for a controller T , we define the operator $T_0^* : X_0^* \longrightarrow \mathbb{C}^N$ such that

$$(5.7) \quad T_0^* \cong T^* \Big|_{X_1^\perp} \quad (\text{by } X_0^* \cong X_1^\perp) .$$

Then we have the followings ([26]) .

Lemma 2.

$T : \mathbb{C}^N \longrightarrow X$ is X_0 -controllable in X with respect to e^{-tA} if and only if $T_0^* : X_0^* \longrightarrow \mathbb{C}^N$ is X_0^* -observable in X_0^* with respect to $e^{-tA_0^*}$. \square

It is known that $\dim \text{Ker}(\lambda_i - A^*) = \dim \text{Ker}(\lambda_i - A) = n_i$ holds. (Kato [5], for example.) Let $\{\varphi_{ij}^*\}_{1 \leq j \leq n_i}$ be a basis of $\text{Ker}(\lambda_i - A^*)$.

Proposition 3 (the second rank condition for controllability).

Let $T : \mathbb{C}^N \longrightarrow X$ be a controller :

$$(5.8) \quad T : \begin{array}{ccc} \mathbb{C}^N & \longrightarrow & X \\ \cup & & \cup \\ (\alpha_k)_{1 \leq k \leq N} & \longmapsto & \sum_{k=1}^N \alpha_k \psi_k, \quad \psi_k \in X. \end{array}$$

Then, T is X_0 -controllable in X with respect to e^{-tA} if and only if

$$(5.9) \quad \text{rank } L_i = n_i \quad (1 \leq i \leq l),$$

where L_i is an $N \times n_i$ matrix defined by

$$(5.10) \quad L_i = \left(\begin{array}{c} \langle \varphi_{ij}^*, \psi_k \rangle_X \\ X^* \end{array} \right)_{\substack{1 \leq k \leq N \\ 1 \leq j \leq n_i}} \quad \square$$

§6. Proof of Theorem 2.

We now prove Theorem 2 stated in §1.

Proof of the "if" part of Theorem 2 :

We assume that $T : \mathbb{C}^N \longrightarrow X$ is X_0 -controllable in X with respect to e^{-tA} . By Lemma 2 in §5, $T_0^* : X_0^* \longrightarrow \mathbb{C}^N$ is X_0^* -observable in X_0^* with respect to $e^{-tA_0^*}$. By Proposition 1 in §2 and Wonham's pole assignment theorem, there exists a linear operator $F_0 : \mathbb{C}^N \longrightarrow X_0^*$ such that

$$(6.1) \quad \left\| e^{-t(A_0^* - F_0 T_0^*)} \right\|_{X_0^* \rightarrow X_0^*} \leq M_0 e^{-t\omega_0}$$

for some constants $M_0 > 0$ and $\omega_0 > \kappa_1$.

Let $S_0 : X_0 \longrightarrow \mathbb{C}^N$ be the dual operator of F_0 . Then, since $\dim X_0 = m < \infty$, (6.1) implies

$$(6.2) \quad \| e^{-t(A_0 - PTS_0)} \|_{X_0 \rightarrow X_0} \leq M_0 e^{-t\omega_0} .$$

We set

$$(6.3) \quad S = \begin{cases} S_0 & (\text{on } X_0) \\ 0 & (\text{on } X_1) , \end{cases}$$

and apply Theorem 3 in §3 for $B = TS$. Since $\beta_0 = \beta_1 = 0$ by (6.3), we then have

$$(6.4) \quad \| e^{-t(A-TS)} \|_{X \rightarrow X} \leq M e^{-t\kappa_1}$$

for some constant $M > 0$, which shows that $\langle T, S \rangle$ is κ_1 -stabilizable in X with respect to e^{-tA} . \square

Proof of the "only if" part of Theorem 2 :

Here we show the "only if" part in the case that X is reflexive. For the general Banach space X , the proof is given in [26] .

We assume that $\langle T, S \rangle$ is ω -stabilizable with respect to e^{-tA} for $\kappa_0 < \omega \leq \kappa_1$. Then we have

$$(6.5) \quad \| e^{-t(A-TS)} \|_{X \rightarrow X} \leq M e^{-t\omega}$$

for some constant $M > 0$.

The reflexivity of X implies

$$(e^{-tA})^* = e^{-tA^*}$$

$$(e^{-t(A-TS)})^* = e^{-t(A-TS)^*}$$

(R.S. Phillips [11]) .

Therefore we get

$$(6.6) \quad \| e^{-t(A^* - S^*T^*)} \|_{X^* \rightarrow X^*} \leq M e^{-t\omega} \quad (t \geq 0).$$

We show that T is X_0 -controllable with respect to e^{-tA} . To this end, we have only to show (6.7);

$$(6.7) \quad T^* e^{-tA^*} a = 0 \quad (0 \leq t < \infty) \quad \text{and} \quad a \in X_1^\perp \quad \text{imply} \\ a = 0.$$

We put $u(t) = e^{-tA^*} a$. Since $a \in X_1^\perp \subset \mathcal{D}(A^*)$, $u = u(t) \in C^1(\mathbb{R}_+, \infty) \rightarrow X$ is the strong solution of

$$\begin{cases} \frac{du}{dt} + A^*u = 0 = S^*T^*u & (t \geq 0) \\ u(0) = a \end{cases}.$$

Therefore we get $u(t) = e^{-t(A^* - S^*T^*)} a$ and

$$(6.8) \quad \| e^{-tA^*} a \|_{X^*} \leq M e^{-t\omega} \| a \| \quad (t \geq 0) \quad (\text{by (6.6)}).$$

Now by (6.8), $a \in X_1^\perp$ and $\operatorname{Re} \lambda_i \leq \kappa_0 < \omega$, we see $a = 0$. \square

Appendix. Example :

Here we apply Theorem 1 to the following stabilization problem.

$$\begin{cases} X = L^2(0, \pi) \\ Au = -\frac{d^2u}{dx^2} - 5u \\ \mathcal{D}(A) = H^2(0, \pi) \cap H_0^1(0, \pi) . \end{cases}$$

In Assumption 1, we set

$$\Sigma_0 = \{-4, -1\} \quad \text{and} \quad \Sigma_1 = \{n^2 - 5\}_{n=3}^{\infty} .$$

Then we have

$$X_0 = \text{Span} \{ \sin x, \sin 2x \} .$$

1) We define $S : X \longrightarrow \mathbb{C}$ by $Su = \int_0^{\frac{\pi}{2}} u(x) dx$.

Then by Proposition 2, this sensor S is X_0 -observable with respect to e^{-tA} . By Theorem 1, we define $T : \mathbb{C} \longrightarrow X$ by

$$T(\alpha) = \alpha(35\sin x - 17\sin 2x) ,$$

for example. Then this feedback $\langle T, S \rangle$ is 3-feedback stabilizable in X with respect to e^{-tA} . \square

2) We define $S : X \longrightarrow \mathbb{C}^2$ by

$$Su = \left(\int_0^{\pi} u(x) dx, \frac{2}{\pi} \int_0^{\pi} u(x) x dx \right).$$

Then by Proposition 2, this sensor S is X_0 -observable.

By Theorem 1, we define $T : \mathbb{C}^2 \longrightarrow X$ by

$$T(\alpha_1, \alpha_2) = \alpha_1 \left(\frac{11}{2} \sin x + 13 \sin 2x \right) + \\ \alpha_2 \left(\frac{1}{2} \sin x - 3 \sin 2x \right),$$

for example. Then this feedback $\langle T, S \rangle$ is 3-feedback stabilizable.

□

References

- [1] S.Dolecki and D.L.Russell, A general theory of observation and control, SIAM J.Control, 15 (1977), 185-220.
- [2] H.O.Fattorini, On complete controllability of linear systems, J.Differential Equations, 3 (1967), 391-402.
- [3] M.L.Hautus, Controllability and observability conditions of linear autonomous systems, Indagationes Mathematicae, 31 (1969), 443-448.
- [4] E.Hille and R.S.Phillips, Functional Analysis and Semi-groups, Revised Ed.Providence : Am.Math.Soc.Colloq. Publ. Vol.31, 1957.
- [5] T.Kato, Perturbation Theory for Linear Operators, second edition, Springer, Berlin-Heidelberg-New York, 1976.
- [6] H.Komatsu, Semi-groups of operators in locally convex spaces, J.Math.Soc.of Japan, 16 (1964), 230-262.
- [7] S.T.Kuroda, An Introduction to Scattering Theory, Lecture Notes Series No.51, Aarhus Univ., 1978.
- [8] Kwan Chao-Chin and Wang Kang-Ning, Sur la stabilisation de la vibration élastique, Scientia Sinica, 17 (1974), 446-467.
- [9] T.Nambu, Feedback stabilization for distributed parameter systems of parabolic type, J.Differential Equations, 33 (1979), 167-188.
- [10] T.Nambu, Feedback stabilization for distributed parameter systems of parabolic type, II,

- Arch.Rat.Mech.Anal., 79 (1982), 241-259.
- [11] R.S.Phillips, The adjoint semi-group, Pacific J.Math., 5 (1955), 269-283.
- [12] Y.Sakawa, Controllability for partial differential equations of parabolic type, SIAM J.Control, 12 (1974), 389-400.
- [13] Y.Sakawa, Observability and related problems for partial differential equations of parabolic type, Ibid., 13 (1975), 14-27.
- [14] Y.Sakawa and T.Matsushita, Feedback stabilization of a class of distributed systems and construction of a state estimator, IEEE Trans.Automat.Control, AC-20 (1975), 748-753.
- [15] M.Slemrod, A note on complete controllability and stabilizability for linear control systems in Hilbert space, SIAM J.Control, 12 (1974), 500-508.
- [16] Sun Shunhua, Boundary stabilization of hyperbolic systems with no dissipative conditions, SIAM J.Control, 20 (1982), 862-883.
- [17] T.Suzuki, Observation of evolution systems, Master's thesis (in Japanese), University of Tokyo, Tokyo, 1978.
- [18] T.Suzuki, Certain moving sensors and observability for parabolic equations, Numer.Funct.Anal.and Optimiz., 2(4) (1980), 287-300.
- [19] R.Triggiani, On the stabilizability problem in Banach space, J.Math.Anal.Appl., 52 (1975), 383-403,

- Addendum, Ibid., 56 (1976), 492.
- [20] R.Triggiani, Extensions of rank conditions for controllability and observability to Banach spaces and unbounded operators, SIAM J.Control, 14 (1976), 313-338.
- [21] R.Triggiani, On Nambu's boundary stabilizability problem for diffusion processes, J.Differential Equations, 33 (1979), 189-200.
- [22] R.Triggiani, Boundary feedback stabilizability of parabolic equations, Appl.Math.Optim., 6 (1980), 201-220.
- [23] W.M.Wonham, Linear Multivariable Control : a Geometric Approach, second edition, Springer, New York- Heidelberg-Berlin, 1979.
- [24] M.Yamamoto, On feedback systems for parabolic equations : Well-posedness and Stabilizability, Master's thesis (in Japanese), University of Tokyo, Tokyo, 1983.
- [25] K.Yosida, Functional Analysis, Springer, Berlin-Göttingen-Heidelberg, 1964.
- [26] T.Suzuki and M.Yamamoto, Observability, controllability and feedback stabilizability for evolution equations , I. submitted to Japan Journal of Applied Mathematics.

Department of Mathematics

Faculty of Science

University of Tokyo

Hongo Tokyo

113 Japan .