

数理解析研究所講究録 1433

短期共同研究

Deformation of linear differential equations
and their virtual turning points

京都大学数理解析研究所

2005年5月

RIMS Kokyuroku 1433

*Deformation of linear differential equations
and their virtual turning points*

May, 2005

Research Institute for Mathematical Sciences

Kyoto University, Kyoto, Japan

Preface

This is the proceedings of the workshop

“Deformation of linear differential equations and their virtual turning points”

which was held at RIMS from March 8 through March 11, 2005. As the most important contributions of S. Sasaki (On the role of virtual turning points in the deformation of higher order ordinary differential equations, I and II) are written in Japanese, I am afraid several non-Japanese mathematical scientists might overlook them. But they are really important and intriguing in the exact WKB analysis of higher order ordinary differential equations. I believe it is worth while learning Japanese just for reading the reports of Sasaki for those interested in the subject; in the first report Sasaki shows that virtual turning points are indispensable for analyzing linear differential equations associated with the Noumi-Yamada system $(NY)_l$, even in the simplest case where $l = 2$. In the second report, Sasaki discusses a particular linear differential equation $(L)_4$ associate with $(NY)_4$, with an emphasis on the understanding of the so-called Nishikawa phenomenon for $(NY)_4$; in order to neatly explain the mechanism of the occurrence of such a phenomenon, he introduces the notion of a “napping virtual turning points” of $(L)_4$. This notion seems to bear universal importance in studying the Nishikawa phenomenon for Painlevé hierarchies when the underlying linear equations are of higher order (like $(L)_4$). At the same time, I personally feel our understanding of the notion is still inadequate, particularly in its sleeping region; more comprehensive understanding of napping virtual turning points should be substantially useful in the theory of virtual turning points in the large.

In addition to the contributions by Sasaki, the report of A.Shudo is also worth calling the attention of the reader; actually most of the attendants gained an “instanton-type” insight into his work at his talk. As it is written in English fortunately, I don’t think I need to add any more explanation of the report.

In ending the preface I like to note my expectation that this proceedings will turn out to be one of the classics in the exact WKB analysis in spite of a linguistic bareer, in view of the decisive importance of the results reported here.

May, 2005 in Kyoto

河合 隆雄

Takahiro KAWAI

Deputy Organizer of the Workshop

Deformation of linear differential equations and their virtual turning points

線型微分方程式の変形と仮想的変わり点

短期共同研究報告集

2005年3月8日～3月11日

研究代表者 佐々木 俊介 (Shunsuke Sasaki)

副代表者 河合 隆裕 (Takahiro Kawai)

目 次

1. ホロノミー系の完全 WKB 解析に向けて ----- 1
近畿大・理工 青木 貴史(Takashi Aoki)
2. On a connection problem of simple pole type operators of second order
in exact WKB analysis ----- 9
京大・理学 小池 達也(Tatsuya Koike)
3. 高階線型常微分方程式の変形における virtual turning point の役割について ----- 27
京大・数理研 佐々木 俊介(Shunsuke Sasaki)
4. 高階線型常微分方程式の変形における virtual turning point の役割について, II
- 野海・山田方程式系の new Stokes curve について - ----- 65
京大・数理研 佐々木 俊介(Shunsuke Sasaki)
5. A recipe for finding Stokes geometry in the quantized Hénon map ----- 110
首都大学東京・物理学教室 首藤 啓(Akira Shudo)