

数理解析研究所講究録 1628

変分問題とその周辺

京都大学数理解析研究所

2009年2月

RIMS Kôkyûroku 1628

*Problems in the Calculus of Variations
and Related Topics*

February, 2009

Research Institute for Mathematical Sciences

Kyoto University, Kyoto, Japan

This is a report of research done at the Research Institute for Mathematical Sciences, Kyoto University. The papers contained herein are in final form and will not be submitted for publication elsewhere.

変分問題とその周辺
Problems in the Calculus of Variations and Related Topics
RIMS 研究集会報告集

2008年6月23日～6月25日

研究代表者 ヴァイス ゲオグ (Georg S. Weiss)

副代表者 鈴木 貴 (Takashi Suzuki)

" 高橋 太 (Futoshi Takahashi)

目 次

1. Toward asymptotic non-degeneracy results for the mean field equations on surfaces	1
宮崎大・工(U. Miyazaki)	大塚 浩史(Hiroshi Ohtsuka)
2. Global branches of solutions to a semilinear elliptic Neumann problem	22
東工大・理工学(Tokyo Inst. Tech.)	宮本 安人(Yasuhide Miyamoto)
3. Asymptotic behavior of least energy solutions for a biharmonic problem with nearly critical growth	28
大阪市大・理学(Osaka City U.)	高橋 太(Futoshi Takahashi)
4. Discrete Morse flow for nonlocal problems	42
金沢大・自然科学(Kanazawa U.)	小俣 正朗(Seiro Omata)
"	風間 正喜(Masaki Kazama)
"	Karel Švadlenka
5. Stationary isothermic surfaces and a characterization of the spherical cylinder	48
広島大・工学(Hiroshima U.)	坂口 茂(Shigeru Sakaguchi)
6. π_1 - and π_2 -theories of operators	58
九大・数理学(Kyushu U.)	新居 俊作(Shunsaku Nii)
7. THE SINGULARITIES IN A TWO-DIMENSIONAL UNSTABLE FREE BOUNDARY PROBLEM	63
U. Jyväskylä	John Andersson
Royal Inst. Tech.	Henrik Shahgholian
東大・数理科学(U. Tokyo)	ヴァイス ゲオグ(Georg S. Weiss)
8. GEOMETRIC PROPERTIES IN PARABOLIC FLOWS AND ITS APPLICATIONS	71
Seoul Nat. U.	Ki-ahm Lee
9. EXISTENCE AND ASYMPTOTICS FOR A CAHN-HILLIARD / ALLEN-CAHN PARABOLIC EQUATION	87
U. Crete	Georgia Karali
U. di Napoli Federico II	Tonia Ricciardi

1 0 .	Existence of traveling waves for a nonlocal monostable equation	-----	101
	京産大・理(Kyoto Sangyo U.)	柳下 浩紀(Hiroki Yagisita)	
1 1 .	Isothermal coordinates on singular minimal surfaces	-----	109
	東北大・理学(Tohoku U.)	山田 澄生(Sumio Yamada)	
1 2 .	Degenerate parabolic equation derived from kinetic theory, revisited	-----	116
	阪大・基礎工学(Osaka U.)	鈴木 貴(Takashi Suzuki)	
	"	高橋 亮(Ryo Takahashi)	