

**A PROBABILISTIC PROOF OF THE SERIES REPRESENTATION OF THE
MACDONALD FUNCTION WITH APPLICATIONS**

M. ASLAM CHAUDHRY and MUNIR AHMAD

Department of Mathematical Sciences
King Fahd University of Petroleum and Minerals
Dhahran, Saudi Arabia

(Received October 2, 1992 and in revised form August 24, 1993)

ABSTRACT. A series representation of the Macdonald function is obtained using the properties of a probability density function and its moment generating function. Some applications of the result are discussed and an open problem is posed.

KEY WORDS AND PHRASES. Non-central moments, moment generating function, inverse Gaussian distribution.

1991 AMS SUBJECT CLASSIFICATION CODES. 33-02 60E05.

1. INTRODUCTION.

Kadell [8] used the probabilistic approach to prove Ramanujan's ${}_1\psi_1$ sum. Ismail [6] gave the most natural proof of Ramanujan ${}_1\psi_1$ sum that extended to multivariate hypergeometric functions. Some algebraic and other techniques are used to provide simple proofs of the established identities, see [1, 4, 5, 6, 8, 9]. In this paper we have used probabilistic approach to derive a series representation [2, p. 100] of the Macdonald function. Some applications of the result are discussed and an open problem is posed.

2. MAIN RESULTS.

LEMMA 2.1. For $\operatorname{Re}(z) > 0$

$$\frac{\partial^n K_\alpha(z)}{\partial \alpha^n} = \begin{cases} \int_0^\infty t^n \exp(-z \cosh t) \cosh \alpha t \, dt & \text{if } n \text{ is even,} \\ \int_0^\infty t^n \exp(-z \cosh t) \sinh \alpha t \, dt & \text{if } n \text{ is odd.} \end{cases}$$

PROOF. It follows from the integral representation [3, p. 358]

$$K_\alpha(z) = \int_0^\infty \exp(-z \cosh t) \cosh(\alpha t) dt,$$

of the Macdonald function $K_\alpha(z)$, $\operatorname{Re} z > 0$.

THEOREM 2.1. Let $0 < t < 1$ and $\operatorname{Re} z > 0$. Then,

$$K_{\alpha}(2z\sqrt{1-t}) = (1-t)^{\alpha/2} \sum_{r=0}^{\infty} K_{\alpha+r}(2z)(zt)^r / r! \quad (2.1)$$

PROOF. Let us define the function $I(\alpha, \beta)$ by

$$I(\alpha, \beta) = \int_0^{\infty} x^{\alpha-1} \exp(-x - \beta x^{-1}) dx, \quad -\infty < \alpha < \infty, \beta > 0. \quad (2.2)$$

Then, the function defined by

$$f(x) = (I(\alpha, \beta))^{-1} x^{\alpha-1} \exp(-x - \beta x^{-1}), \quad x > 0, \beta > 0 \quad (2.3)$$

is the probability density function (pdf). It may be noted that the pdf (2.3) has appeared in an earlier work. This is the limiting case $a \rightarrow 0$ of theorem 1.11 in [7].

The r -th non-central moment of the random variable X having (2.3) as its pdf is given by

$$E(X^r) = \int_0^{\infty} x^r f(x) dx = \frac{I(\alpha+r, \beta)}{I(\alpha, \beta)}. \quad (2.4)$$

The moment generating function (mgf) of $f(x)$ is given by

$$E(e^{tx}) = \int_0^{\infty} e^{tx} f(x) dx = \frac{1}{I(\alpha, \beta)} \int_0^{\infty} x^{\alpha-1} \exp(-(1-t)x - \beta x^{-1}) dx, \quad 0 \leq t < 1. \quad (2.5)$$

Substituting $(1-t)x = \tau$ in (2.5) and simplifying we get

$$E(e^{tx}) = \frac{I(\alpha, \beta(1-t))}{(1-t)^{\alpha} I(\alpha, \beta)}. \quad (2.6)$$

The relation

$$E(e^{tx}) = \sum_{r=0}^{\infty} E(X^r) \frac{t^r}{r!}$$

yields,

$$\frac{I(\alpha, \beta(1-t))}{(1-t)^{\alpha} I(\alpha, \beta)} = \sum_{r=0}^{\infty} \frac{I(\alpha+r, \beta)}{I(\alpha, \beta)} \frac{t^r}{r!}$$

or

$$I(\alpha, \beta(1-t)) = \left[\sum_{r=0}^{\infty} I(\alpha+r, \beta) \frac{t^r}{r!} \right] (1-t)^{\alpha}. \quad (2.7)$$

It is known [3, p. 340] that

$$I(\alpha, \beta) = 2\beta^{\alpha/2} K_{\alpha}(2\sqrt{\beta}), \quad -\infty < \alpha < \infty, \operatorname{Re} \beta > 0. \quad (2.8)$$

From (2.7) and (2.8) we get

$$K_{\alpha}(2\sqrt{\beta(1-t)}) = (1-t)^{\alpha/2} \sum_{r=0}^{\infty} \beta^{r/2} K_{\alpha+r}(2\sqrt{\beta}) \frac{t^r}{r!}. \quad (2.9)$$

The substitution $\beta = z^2$ in (2.9) yields the proof of the theorem.

In particular when $\alpha = 0$ and $\beta = z^2$ in (2.9) we get

$$K_0(2z\sqrt{1-t}) = \sum_{n=0}^{\infty} \{z^n K_n(2z)\} \frac{t^n}{n!}, \quad (2.10)$$

which shows that $K_0(z\sqrt{1-t})$ is the generating function of $\frac{1}{n!} (z/2)^n K_n(z)$, $n = 0, 1, 2, 3, \dots$

An immediate consequence of the theorem is the following result which provides the closed form solution to the representation of the first derivative with respect to the order of the Macdonald function at the integral values of the order. The problem remains open for the higher derivatives and the other values of the order of the function.

COROLLARY 2.1. For $\text{Re}(z) > 0$,

$$\frac{\partial}{\partial \alpha} [K_\alpha(2z)]_{\alpha=n} = \frac{1}{2} \frac{n!}{z^n} \sum_{j=1}^n \frac{(z)^{n-j} K_{n-j}(2z)}{j(n-j)!}.$$

PROOF. Differentiating both sides of (2.1) with respect to α we get

$$\frac{\partial}{\partial \alpha} [K_\alpha(2z\sqrt{1-t})] = (1-t)^{\alpha/2} \sum_{r=0}^{\infty} \left[\frac{\partial}{\partial \alpha} \{K_{\alpha+r}(2z)\} + \frac{1}{2} \ln(1-t) K_{\alpha+r}(2z) \right] \frac{(tz)^r}{r!}. \tag{2.11}$$

However, it follows from the lemma that

$$\frac{\partial}{\partial \alpha} [K_\alpha(z)]_{\alpha=0} = 0. \tag{2.12}$$

Therefore, substituting $\alpha = 0$ in (2.10) and using the series representation of $\ln(1-t)$ and (2.11) we get

$$\sum_{r=0}^{\infty} \frac{\partial}{\partial \alpha} [K_{\alpha+r}(2z)]_{\alpha=0} \frac{(zt)^r}{r!} = \frac{1}{2} \left(\frac{t}{1} + \frac{t^2}{2} + \dots + \frac{t^n}{n} + \dots \right) \sum_{r=0}^{\infty} K_r(2z) \frac{(zt)^r}{r!}. \tag{2.13}$$

Equating the coefficients of t^n in (2.12) yields the desired proof.

COROLLARY 2.2. For $\text{Re } z > 0$,

$$\int_0^\infty t \exp(-2z \cosh t) \sinh(nt) dt = \frac{1}{2} \frac{n!}{z^n} \sum_{j=1}^n \frac{z^{n-j} K_{n-j}(2z)}{j(n-j)!}.$$

PROOF. This follows from the lemma and Corollary 2.1.

In particular when $n = 2$ we get

$$\int_0^\infty t \exp(-2z \cosh t) \sinh(2t) dt = \frac{1}{2} [K_0(2z) + 2zK_1(2z)], \tag{2.14}$$

which does not seem to be known in the literature.

We state here an open problem the solution to which will have far-reaching consequences in the generalization of the inverse Gaussian distribution.

STATEMENT OF THE OPEN PROBLEM. Find the relationship of $\frac{\partial^n K_\alpha}{\partial \alpha^n}$ with the other special functions for $n \geq 2$.

ACKNOWLEDGEMENTS. Private correspondence with Professor M. Rahman at Carleton University, Ottawa, Canada is appreciated. The authors are indebted to the the referee for helpful comments and to the King Fahd University of Petroleum and Minerals for the excellent research facilities.

REFERENCES

1. BRESSOUD, D.M. An easy proof of the Rogers-Ramanujan identities, *J. Numb. Thy.*, 16(1983a), 235-241.
2. ERDÉLYI, ET AL., *Higher Transcendental Functions*, vol. II(McGraw-Hill, 1954).
3. GRADSHTEYN, I.S. and RYZHIK, I.M. *Tables of Integrals, Series, and Products* (Academic Press, 1980).
4. HIRSHHORN, M.D. A simple proof of Jacobi's two square theorem, *Amer. Math. Monthly* 92(1985), 579-580.
5. HIRSHHORN, M.D. A simple proof of Jacobi's four-square theorem, *Proc. Amer. Math. Soc.* 101(1987), 436-438.
6. ISMAIL, M.E.H. A simple proof of Ramanujan's ${}_1\psi_1$ sum, *Proc. Amer. Math. Soc.* 63(1977), 185-186.
7. ISMAIL, M.E.H. and KELKER, H.D. Special functions, Steiltjes transforms and infinite divisibility, *SIAM J. Math. Anal.* 10(1979), 884-901.
8. KADELL, K.W.J. A probabilistic proof of Ramanujan's ${}_1\psi_1$ sum, *SIAM J. Math. Anal.* 18(1987a), 1539-1548.
9. RAHMAN, M. A simple proof of Koornwinder's additional formula for the little q -Legendre polynomials (to appear).

Special Issue on Decision Support for Intermodal Transport

Call for Papers

Intermodal transport refers to the movement of goods in a single loading unit which uses successive various modes of transport (road, rail, water) without handling the goods during mode transfers. Intermodal transport has become an important policy issue, mainly because it is considered to be one of the means to lower the congestion caused by single-mode road transport and to be more environmentally friendly than the single-mode road transport. Both considerations have been followed by an increase in attention toward intermodal freight transportation research.

Various intermodal freight transport decision problems are in demand of mathematical models of supporting them. As the intermodal transport system is more complex than a single-mode system, this fact offers interesting and challenging opportunities to modelers in applied mathematics. This special issue aims to fill in some gaps in the research agenda of decision-making in intermodal transport.

The mathematical models may be of the optimization type or of the evaluation type to gain an insight in intermodal operations. The mathematical models aim to support decisions on the strategic, tactical, and operational levels. The decision-makers belong to the various players in the intermodal transport world, namely, drayage operators, terminal operators, network operators, or intermodal operators.

Topics of relevance to this type of decision-making both in time horizon as in terms of operators are:

- Intermodal terminal design
- Infrastructure network configuration
- Location of terminals
- Cooperation between drayage companies
- Allocation of shippers/receivers to a terminal
- Pricing strategies
- Capacity levels of equipment and labour
- Operational routines and lay-out structure
- Redistribution of load units, railcars, barges, and so forth
- Scheduling of trips or jobs
- Allocation of capacity to jobs
- Loading orders
- Selection of routing and service

Before submission authors should carefully read over the journal's Author Guidelines, which are located at <http://www.hindawi.com/journals/jamds/guidelines.html>. Prospective authors should submit an electronic copy of their complete manuscript through the journal Manuscript Tracking System at <http://mts.hindawi.com/>, according to the following timetable:

Manuscript Due	June 1, 2009
First Round of Reviews	September 1, 2009
Publication Date	December 1, 2009

Lead Guest Editor

Gerrit K. Janssens, Transportation Research Institute (IMOB), Hasselt University, Agoralaan, Building D, 3590 Diepenbeek (Hasselt), Belgium; Gerrit.Janssens@uhasselt.be

Guest Editor

Cathy Macharis, Department of Mathematics, Operational Research, Statistics and Information for Systems (MOSI), Transport and Logistics Research Group, Management School, Vrije Universiteit Brussel, Pleinlaan 2, 1050 Brussel, Belgium; Cathy.Macharis@vub.ac.be