

Journal of Inequalities in Pure and Applied Mathematics

NOTES ON AN INTEGRAL INEQUALITY

QUỐC ANH NGÔ, DU DUC THANG, TRAN TAT DAT,
AND DANG ANH TUAN

Department of Mathematics, Mechanics and Informatics,
College of Science, Việt Nam National University,
Hà Nội, Việt Nam

EMail: anhngq@yahoo.com.vn

EMail: thangdd@vnu.edu.vn

EMail: datt@vnu.edu.vn

EMail: datuan11@yahoo.com



volume 7, issue 4, article 120,
2006.

*Received 03 May, 2006;
accepted 19 May, 2006.*

Communicated by: P.S. Bullen

[Abstract](#)

[Contents](#)



[Home Page](#)

[Go Back](#)

[Close](#)

[Quit](#)



Abstract

In this paper, some integral inequalities are presented by analytic approach. An open question will be proposed later on.

2000 Mathematics Subject Classification: 26D15.

Key words: Integral inequality.

Contents

1	Introduction	3
2	The Case of Natural Numbers	6
3	The Case of Real Numbers	8
References		



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 2 of 10

1. Introduction

Let $f(x)$ be a continuous function on $[0, 1]$ satisfying

$$(1.1) \quad \int_x^1 f(t) dt \geq \frac{1-x^2}{2}, \quad \forall x \in [0, 1].$$

Firstly, we consider an integral inequality below.

Lemma 1.1. *If (1.1) holds then we have*

$$(1.2) \quad \int_0^1 [f(x)]^2 dx \geq \int_0^1 xf(x) dx.$$

The aim of this paper is to generalize (1.2) in order to obtain some new integral inequalities. In the first part of this paper, we will prove Lemma 1.1 and present some preliminary results. Our main results are Theorem 2.1, Theorem 2.2 which will be proved in Section 2 and Theorem 3.2, Theorem 3.3 which will be proved in Section 3. Finally, an open question is proposed. And now, we begin with a proof of Lemma 1.1.

Proof of Lemma 1.1. It is known that

$$0 \leq \int_0^1 (f(x) - x)^2 dx = \int_0^1 f^2(x) dx - 2 \int_0^1 xf(x) dx + \int_0^1 x^2 dx,$$

which yields

$$\int_0^1 f^2(x) dx \geq 2 \int_0^1 xf(x) dx - \frac{1}{3}.$$



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 3 of 10

Let $A := \int_0^1 \left(\int_x^1 f(t) dt \right)$. By using our assumption we have

$$A = \int_0^1 \left(\int_x^1 f(t) dt \right) \geq \int_0^1 \frac{1-x^2}{2} dx = \frac{1}{3}.$$

On the other hand, integrating by parts, we also get

$$\begin{aligned} A &= \int_0^1 \left(\int_x^1 f(t) dt \right) \\ &= x \int_x^1 f(t) dt \Big|_0^1 + \int_0^1 xf(x) dx \\ &= \int_0^1 xf(x) dx. \end{aligned}$$

Thus

$$\int_0^1 xf(x) dx \geq \frac{1}{3},$$

which gives the conclusion. \square


Remark 1. Condition (1.1) can be rewritten as

$$(1.3) \quad \int_x^1 f(t) dt \geq \int_x^1 t dt, \quad \forall x \in [0, 1].$$

Throughout this paper, we always assume that function f satisfies (1.1), moreover, we also assume that

$$(1.4) \quad f(x) \geq 0$$

for every $x \in [0, 1]$.



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 4 of 10

Lemma 1.2. $\int_0^1 x^{n+1} f(x) dx \geq \frac{1}{n+3}$ for all $n \in \mathbb{N}$.

Proof. We have

$$\begin{aligned} \int_0^1 x^n \left(\int_x^1 f(t) dt \right) dx &= \frac{1}{n+1} \int_0^1 \left(\int_x^1 f(t) dt \right) d(x^{n+1}) \\ &= \frac{1}{n+1} x^{n+1} \int_x^1 f(t) dt \Big|_{x=0}^{x=1} \\ &\quad + \frac{1}{n+1} \int_0^1 x^{n+1} f(x) dx, \end{aligned}$$

which yields

$$\int_0^1 x^{n+1} f(x) dx = (n+1) \int_0^1 x^n \left(\int_x^1 f(t) dt \right) dx.$$


On the other hand

$$\int_0^1 x^n \left(\int_x^1 f(t) dt \right) dx \geq \int_0^1 x^n \frac{1-x^2}{2} dx.$$

Therefore

$$\int_0^1 x^{n+1} f(x) dx \geq (n+1) \int_0^1 x^n \frac{1-x^2}{2} dx = \frac{1}{n+3}.$$

The proof is completed. □



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 5 of 10

2. The Case of Natural Numbers

Theorem 2.1. Assume that (1.1) and (1.4) hold. Then

$$\int_0^1 f^{n+1}(x) dx \geq \int_0^1 x^n f(x) dx$$

for every $n \in \mathbb{N}$.

Proof. By using the Cauchy inequality, we obtain

$$f^{n+1}(x) + nx^{n+1} \geq (n+1)x^n f(x).$$

Thus

$$\int_0^1 f^{n+1}(x) dx + n \int_0^1 x^{n+1} dx \geq (n+1) \int_0^1 x^n f(x) dx.$$


Moreover, by using Lemma 1.2, we get

$$\begin{aligned} (n+1) \int_0^1 x^n f(x) dx &= n \int_0^1 x^n f(x) dx + \int_0^1 x^n f(x) dx \\ &\geq \frac{n}{n+2} + \int_0^1 x^n f(x) dx, \end{aligned}$$

that is

$$\int_0^1 f^{n+1}(x) dx + \frac{n}{n+2} \geq \frac{n}{n+2} + \int_0^1 x^n f(x) dx,$$

which completes this proof. \square



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 6 of 10

Theorem 2.2. Assume that (1.1) and (1.4) hold. Then

$$\int_0^1 f^{n+1}(x) dx \geq \int_0^1 x f^n(x) dx$$

for every $n \in \mathbb{N}$.

Proof. It is known that

$$(f^n(x) - x^n)(f(x) - x) \geq 0, \quad \forall x \in [0, 1],$$

that is

$$f^{n+1}(x) + x^{n+1} \geq x^n f(x) + x f^n(x), \quad \forall x \in [0, 1].$$

By integrating with some simple calculation we conclude that

$$\int_0^1 f^{n+1}(x) dx + \frac{1}{n+2} \geq \int_0^1 x^n f(x) dx + \int_0^1 x f^n(x) dx.$$


Once again, by Lemma 1.2, we obtain

$$\int_0^1 f^{n+1}(x) dx + \frac{1}{n+2} \geq \frac{1}{n+2} + \int_0^1 x f^n(x) dx,$$

which gives the conclusion. \square

Remark 2. By the same argument, we see that the result of Lemma 1.2 also holds when n is a positive real number. That is

$$(2.1) \quad \int_0^1 x^{\alpha+1} f(x) dx \geq \frac{1}{\alpha+3}, \quad \forall \alpha > 0.$$



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 7 of 10

3. The Case of Real Numbers

In order to generalize our results, the case of positive real numbers, we recall another version of the Cauchy inequality as follows.

Theorem 3.1 (General Cauchy inequality). *Let α and β be positive real numbers satisfying $\alpha + \beta = 1$. Then for every positive real numbers x and y , we always have*

$$\alpha x + \beta y \geq x^\alpha y^\beta.$$

Theorem 3.2. *Assume that (1.1) and (1.4) hold. Then*

$$\int_0^1 f^{\alpha+1}(x) dx \geq \int_0^1 x^\alpha f(x) dx$$

for every positive real number $\alpha > 0$.

Proof. Using Theorem 3.1 we get


$$\frac{1}{\alpha+1} f^{\alpha+1}(x) + \frac{\alpha}{\alpha+1} x^{\alpha+1} \geq x^\alpha f(x),$$

which gives

$$\frac{1}{\alpha+1} \int_0^1 f^{\alpha+1}(x) dx + \frac{\alpha}{\alpha+1} \int_0^1 x^{\alpha+1} dx \geq \int_0^1 x^\alpha f(x) dx.$$

By the same argument together with (2.1) we obtain

$$\begin{aligned} \frac{1}{\alpha+1} \int_0^1 f^{\alpha+1}(x) dx + \frac{\alpha}{(\alpha+1)(\alpha+2)} \\ \geq \frac{1}{\alpha+1} \int_0^1 x^\alpha f(x) dx + \frac{\alpha}{\alpha+1} \int_0^1 x^\alpha f(x) dx \end{aligned}$$



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 8 of 10

$$\geq \frac{1}{\alpha + 1} \int_0^1 x^\alpha f(x) dx + \frac{\alpha}{(\alpha + 1)(\alpha + 2)}.$$

Hence

$$\frac{1}{\alpha + 1} \int_0^1 f^{\alpha+1}(x) dx \geq \frac{1}{\alpha + 1} \int_0^1 x^\alpha f(x) dx.$$

The present proof is completed. □

Theorem 3.3. Assume that (1.1) and (1.4) hold. Then

$$\int_0^1 f^{\alpha+1}(x) dx \geq \int_0^1 x f^\alpha(x) dx$$

for every positive real number $\alpha > 0$.

The proof of Theorem 3.3 is similar to the proof of Theorem 2.2 therefore, we omit it.

Lastly, we propose the following open problem.


Open Problem. Let $f(x)$ be a continuous function on $[0, 1]$ satisfying

$$\int_x^1 f(t) dt \geq \int_x^1 t dt, \quad \forall x \in [0, 1].$$

Under what conditions does the inequality

$$\int_0^1 f^{\alpha+\beta}(x) dx \geq \int_0^1 t^\alpha f^\beta(x) dx.$$

hold for α and β ?



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back


Close

Quit

Page 9 of 10

References

- [1] E.F. BECKENBACH AND R. BELLMAN, *Inequalities*, Springer, Berlin, 1983.
- [2] G.H. HARDY, J.E. LITTLEWOOD AND G. PÓLYA, *Inequalities*, 2nd edition, Cambridge University Press, Cambridge, 1952.
- [3] JI-CHANG KUANG, *Applied Inequalities*, 2nd edition, Hunan Education Press, Changsha, China, 1993.
- [4] D.S. MITRINOVIĆ, *Analytic Inequalities*, Springer-Verlag, Berlin, 1970.
- [5] D.S. MITRINOVIĆ, J.E. PEČARIĆ AND A.M. FINK, *Classical and New Inequalities in Analysis*, Kluwer Academic Publishers, Dordrecht, 1993.



Notes on an Integral Inequality

Quốc Anh Ngô, Du Duc Thang,
Tran Tat Dat and Dang Anh Tuan

Title Page

Contents



Go Back

Close

Quit

Page 10 of 10