

数理解析研究所講究録 1693

# 非線形発展方程式と現象の数理

京都大学数理解析研究所

2010年6月

*RIMS Kôkyûroku 1693*

*Nonlinear evolution equations  
and mathematical modeling*

*October 20~23, 2009*

*edited by Toyohiko Aiki*

*June, 2010*

*Research Institute for Mathematical Sciences*

*Kyoto University, Kyoto, Japan*

This is a report of research done at the Research Institute for Mathematical Sciences, Kyoto University. The papers contained herein are in final form and will not be submitted for publication elsewhere.

非線形発展方程式と現象の数理  
 Nonlinear evolution equations and mathematical modeling  
 RIMS 研究集会報告集

2009年10月20日～10月23日  
 研究代表者 愛木 豊彦 (Toyohiko Aiki)

目 次

1.	形状記憶合金ワイヤーの運動を記述する熱弾性方程式の導出 -----	1.
	岩手大・人文社会科学 (Iwate U.)	岡部 真也 (Shinya Okabe)
	阪大・基礎工学 (Osaka U.)	鈴木 貴 (Takashi Suzuki)
	宇部工業高専 (Ube Nat. Coll. Tech.)	吉川 周二 (Shuji Yoshikawa)
2.	Higher-order Schrödinger operators with singular potentials -----	11
	東京理大・理 (Sci. U. Tokyo)	岡沢 登 (Noboru Okazawa)
	東京理大・理学 (Sci. U. Tokyo)	田村 博志 (Hiroshi Tamura)
	東京理大・理 (Sci. U. Tokyo)	横田 智巳 (Tomomi Yokota)
3.	Finite dimensional reduction for a reaction diffusion problem with obstacle potential -----	28
	U. Pavia	Antonio Segatti
	U. Surrey	Sergey Zelik
4.	$L^p$ well-posedness for the complex Ginzburg-Landau equation -----	38
	広島大・理学 (Hiroshima U.)	松本 敏隆 (Toshitaka Matsumoto)
5.	Hölder continuity for some degenerate parabolic equation and its application -----	45
	東北大・理学 (Tohoku U.)	水野 将司 (Masashi Mizuno)
	”	小川 卓克 (Takayoshi Ogawa)
6.	Transition layers for a bistable reaction-diffusion equation in heterogeneous media ---	57
	早大高等学院 (Waseda U. Senior High School)	浦野 道雄 (Michio Urano)
7.	Local and global well-posedness for the KdV equation at the critical regularity -----	68
	京大・理学 (Kyoto U.)	岸本 展 (Nobu Kishimoto)
8.	RATE OF CONVERGENCE FOR A GALERKIN SCHEME APPROXIMATING A TWO-SCALE REACTION-DIFFUSION SYSTEM WITH NONLINEAR TRANSMISSION CONDITION -----	85
	Eindhoven U. Tech.	Adrian Muntean
	U. Sussex	Omar Lakkis
9.	Propagating waves in wave front interaction model -----	99
	明治大・理工 (Meiji U.)	二宮 広和 (Hirokazu Ninomiya)

1 0 .	Global solution to a phase transition problem of the Allen-Cahn type -----	104
	U. Pavia	Pierluigi Colli
	"	Gianni Gilardi
	U. Roma Tor Vergata	Paolo Podio-Guidugli
	Weierstraß-Inst. Angewandte Analysis Stochastik	Jürgen Sprekels
1 1 .	Blow-up for some parabolic equations with nonlinear boundary conditions -----	111
	早大・理工学 (Waseda U.)	原田 潤一 (Junichi Harada)
	"	大谷 光春 (Mitsuharu Ôtani)
1 2 .	Global existence and blow up for harmonic map heat flows into ellipsoid -----	119
	早大・理工学 (Waseda U.)	堤 正義 (Masayoshi Tsutsumi)
1 3 .	EXISTENCE AND STABILITY OF A TRAVELING WAVE SOLUTION ON A 3-COMPONENT REACTION-DIFFUSION MODEL IN COMBUSTION -----	132
	明治大・先端数理科学 (Meiji U.)	池田 幸太 (Kota Ikeda)
	明治大・理工 (Meiji U.)	三村 昌泰 (Masayasu Mimura)
1 4 .	Dimension estimate of global attractors for a chemotaxis-growth system and its discretizations -----	143
	東京医科歯科大 (Tokyo Medical Dental U.)	中口 悦史 (Etsushi Nakaguchi)
1 5 .	Quasilinear thermoviscoelastic systems. Large time regular solutions -----	151
	Polish Acad. Sci. / Military U. Tech.	Irena Pawłow
	"	Wojciech M. Zajączkowski
1 6 .	Interface evolution by tristable Allen-Cahn type equation with collision free condition -----	168
	明治大・先端数理科学 (Meiji U.)	大塚 岳 (Takeshi Ohtsuka)
1 7 .	The existence of time global solutions for tumor invasion models -----	180
	近畿大・工 (Kinki U.)	加納 理成 (Risei Kano)
	"	伊藤 昭夫 (Akio Ito)