数理解析研究所講究録2093

RIMS共同研究(公開型)

非線形波動·分散型方程式

京都大学数理解析研究所 2018年11月

数理解析研究所講究録は、京都大学数理解析研究所の共同利用研究集会および共同研究の記録として1964年に刊行が開始されました。当研究所が全国共同利用研究所として発足した翌年のことでしたが、以来半世紀、毎年数十巻を刊行し、2016年には第2000巻が刊行されるに至りました。第1巻から第2000巻までに収録された論文数は29,265編、総頁数は342,960頁という膨大なものであり、最先端の数学・数理科学分野の研究状況を伝えるのみならず、我が国の数学・数理科学の発展の歴史を留める文献として、他に類例を見ない論文集となっています。

講究録の内容は当研究所のウェブサイトおよび京都大学の学術情報リポジトリにおいても公開され、年間の総アクセス数は1,380,032回(2017年度)を数えるなど、多数の方にご利用いただいています。

講究録の使用言語は論文著者の判断に任されていますが、結果的に日本語が多用されていることが特徴の一つとなっています。その結果、講究録は、数学・数理科学の広い領域における最先端の専門知識に母国語でアクセスできるものとして、近年の英語化の流れの中で、重要な文献となりつつあります。

当研究所の共同利用事業に参加し講究録の論文を執筆していただいた多数の方々に対し、講究録を大きく成長させていただいたことを深く感謝いたしますとともに、これからも、当研究所の国際共同利用・共同研究拠点(\*)としての活動にご参加いただき、講究録の発展にご協力いただけますよう心よりお願い申し上げます。

\*数理解析研究所は2018年11月13日, 共同利用・共同研究拠点の認定が廃止され, 新しく国際共同利用・共同研究拠点に認定されました.

## RIMS Kôkyûroku 2093

# Nonlinear Wave and Dispersive Equations

August 30 ~ September 1, 2017

edited by Yoshio Tsutsumi

November, 2018

Research Institute for Mathematical Sciences

Kyoto University, Kyoto, Japan

This is a report of research done at the Research Institute for Mathematical Sciences, an International Joint Usage/Research Center located in Kyoto University.

The papers contained herein are in final form and will not be submitted for publication elsewhere.

講究録

Kôkyûroku

RIMS Kôkyûroku was started in 1964 as the proceedings of symposia, colloquia and workshops supported by RIMS, the Research Institute for Mathematical Sciences, Kyoto University. It was the next year of the establishment of RIMS as one of the Nationwide Cooperative Research Centers. For half a century since then, several dozen volumes have been issued each year, and the 2,000th volume was issued in 2016. The volumes of Kôkyûroku from the 1st through the 2,000th, containing enormous 29,265 articles and 342,960 pages, not only deliver the latest research activities in mathematics and mathematical sciences but also constitute valuable and incomparable collections of articles that pass down history of progress of mathematics and mathematical science in Japan.

Articles in Kôkyûroku are available on the websites of RIMS and Kyoto University Research Information Repository. They are very frequently accessed on the internet, with a total of as many as 1,380,032 accesses in 2017.

The authors choose the languages to write articles, and many are written in Japanese, which is one of the characteristics of Kôkyûroku. As a result, Kôkyûroku is regarded as a significant and important literature which allows easy access to the latest specialized knowledge in the large fields of mathematics and mathematical sciences written in native language for Japanese readers, while more and more research papers are being written in English in recent years.

We are deeply grateful to many of those who have participated in cooperative research activities of RIMS and greatly developed Kôkyûroku. We heartily ask for your continuous participation in research activities at RIMS as an International Joint Usage/Research Center(\*) and your warm support and cooperation for the fruitful development of Kôkyûroku.

\* RIMS was certified as an International Joint Usage/Research Center on Nov. 13, 2018.

#### Preface

This volume of RIMS Kôkyûroku is the proceedings of the RIMS workshop

"Nonlinear Wave and Dispersive Equations",

which was held at Department of Mathematics, Kyoto University on August 30 - September 1, 2017. The volume contains papers and survey articles by invited speakers of the above workshop.

This workshop was planned as part of the 2017 RIMS Project "Mathematical Analysis of Quantum Mechanics and Related Topics" for the occasion of Professor Tosio Kato's 100th birthday anniversary. Tosio Kato was one of pioneers in the field of nonlinear evolution equations in the latter half of the twentieth century. Specifically, he made great contributions to mathematical theory of classical quantum mechanics, incompressible Navier-Stokes equations, nonlinear wave and Schrödinger equations and abstract evolution equation theory. This workshop was intended to highlight the contribution of Tosio Kato to nonlinear wave and dispersive equations. For example, the Kato smoothing and the notion of unconditional uniqueness were introduced by Tosio Kato and these still have a great influence on the present research in this field.

We would like to express our deep gratitude to the speakers, participants and the staff of RIMS, who made the workshop successful. We are also grateful to the authors for contributing their manuscripts to this volume.

Kyoto in June, 2018

Nobu Kishimoto (RIMS, Kyoto University), Satoshi Masaki (Osaka University), Yoshio Tsutsumi (Kyoto University)

### 非線形波動·分散型方程式 Nonlinear Wave and Dispersive Equations RIMS 共同研究(公開型)報告集

## 2017年8月30日~9月1日 研究代表者 堤 誉志雄 (Yoshio Tsutsumi)

#### 目 次

1.	Remarks on strong instability of standing waves for nonlinear Schrödinger equations					
	太田	雅人 (Masahito Ohta)	東京理科大学 (Tokyo U. Sci.)	1		
2.	Long range scattering for the Klein-Gordon equation with the critical					
	nonlinearity			16		
	瀬片	純市 (Jun-ichi Segata)	東北大学 (Tohoku U.)			
3.	On the effects of spatial expansion and contraction on several semilinear					
	partial differential equations			27		
	中村	誠 (Makoto Nakamura)	山形大学 (Yamagata U.)			
4.	Lifespan of periodic solutions to nonlinear Schrödinger equations 3					
	藤原	和将 (Kazumasa Fujiwara)	wara) Scuola normale superiore, Pisa			
	小澤	徹 (Tohru Ozawa)	早稲田大学 (Waseda U.)			
5.	On a rigidity result for the Camassa-Holm equation					
	Luc Molinet		Université de Tours			
6.	Local well-posedness of semilinear higher order dispersive equations on the					
	torus					
	津川	光太郎 (Kotaro Tsugawa)	中央大学 (Chuo U.)	57		
		The state of the s	Citat O.			

7.	The Ginzburg-Landau model with a vanishing exterior magnetic field			65			
	Bernard Helffer	Université de Nantes					
	Ayman Kachmar	Lebanese Univer	rsity				
8.	Observation inequalities for Klein-Gordon equations						
	Wilhelm Schlag	Institute for Adv	anced Study				
9.	Energy transfer model and large periodic boundary value problem						
	for the quintic NLS	***************************************		94			
	高岡 秀夫 (Hideo Takaoka)	神戸大学 (Kobe	e U.)				
10.	非線形Schrödinger方程式の解のlifespanと零構造の関わり						
	砂川 秀明 (Hideaki Sunagawa)	大阪大学 (Osak	a U.)				