

RIMS Workshop on
Mathematical Analysis of Viscous Incompressible Fluid

Organizers: Yasunori Maekawa (Kyoto University)
Yoshihiro Shibata (Waseda University)

Date: December 4 – 6, 2017

Venue: Room 111, Research Institute for Mathematical Sciences, Kyoto University

Program

Monday, December 4

13:30 - 14:20 Walter Craig (MacMaster University)

On the size of the Navier - Stokes singular set

14:30 - 15:20 Jan Brezina (Tokyo Institute of Technology)

Good concept of a solution to complete Euler system

15:40 - 16:10 Tatsu-Hiko Miura (The University of Tokyo)

On the Navier-Stokes equations in a curved thin domain

16:20 - 16:50 Ken Furukawa (The University of Tokyo)

Asymptotic stability of Oseen type Navier-Stokes flow under large perturbation

Tuesday, December 5

10:00 - 10:50 Anna Mazzucato (Penn State University)

The vanishing viscosity limit in porous media

11:00 - 11:50 Takeshi Matsumoto (Kyoto University)

Do dissipative weak Euler solutions dream of turbulence?

13:30 - 14:20 Mads Kyed (TU Darmstadt)

Occurrence of resonance in a thin elastic structure interacting with a viscous fluid

14:30 - 15:20 Matthias Hieber (TU Darmstadt)

On the primitive equations with rough data

15:40 - 16:30 Toshiaki Hishida (Nagoya University)

Asymptotic structure of steady flow around a two-dimensional rotating body

Around 17:45 ~ Banquet

Wednesday, December 6

10:00 - 10:50 Alex Mahalov (Arizona State University)

Stochastic three-dimensional Navier-Stokes equations + waves: averaging, convergence, regularity and nonlinear dynamics

11:00 - 11:50 Takahiro Okabe (Hirosaki University)

Remark on the strong solvability of the Naiver-Stokes equations in the weak L^n space

This workshop is supported by RIMS in cooperation with

Mathematics and Physics Unit "Multiscale Analysis, Modeling and Simulation", Top Global University Project, Waseda University.



RIMS 共同研究（公開型）

非圧縮性粘性流体の数理解析

京都大学数理解析研究所の共同研究事業の一つとして、下記のように研究集会を催しますので、
ご案内申し上げます。

研究代表者 前川 泰則（京大・理） Yasunori Maekawa
副代表者 柴田 良弘（早大・理工） Yoshihiro Shibata

記

日時： 2017年12月4日（月）13:30～6日（水）12:00

場所： 京都大学数理解析研究所1階111号室

京都市左京区北白川追分町

市バス 京大農学部前 または 北白川 下車

共催： スーパーグローバル大学創成支援早稲田大学数物系科学拠点

プログラム

12月4日（月）

13:30 - 14:20 Walter Craig (MacMaster University)

On the size of the Navier - Stokes singular set

14:30 - 15:20 Jan Brezina (東京工業大学)

Good concept of a solution to complete Euler system

15:40 - 16:10 三浦 達彦 (東京大学)

On the Navier-Stokes equations in a curved thin domain

16:20 - 16:50 古川 賢 (東京大学)

Asymptotic stability of Oseen type Navier-Stokes flow under large perturbation

12月5日（火）

10:00 - 10:50 Anna Mazzucato (Penn State University)

The vanishing viscosity limit in porous media

11:00 - 11:50 松本 剛 (京都大学)

Do dissipative weak Euler solutions dream of turbulence?

13:30 - 14:20 Mads Kyed (TU Darmstadt)

Occurrence of resonance in a thin elastic structure interacting with a viscous fluid

14:30 - 15:20 Matthias Hieber (TU Darmstadt)

On the primitive equations with rough data

15:40 - 16:30 菱田 俊明 (名古屋大学)

Asymptotic structure of steady flow around a two-dimensional rotating body

Around 17:45 ~ Banquet

12月6日(水)

10:00 - 10:50 Alex Mahalov (Arizona State University)

Stochastic three-dimensional Navier-Stokes equations + waves: averaging, convergence, regularity and nonlinear dynamics

11:00 - 11:50 岡部 考宏 (弘前大学)

Remark on the strong solvability of the Naiver-Stokes equations in the weak L^n space



TOP GLOBAL
UNIVERSITY
JAPAN

非圧縮性粘性流体の数理解析
Mathematical Analysis of Viscous Incompressible Fluid
RIMS 共同研究（公開型）報告集

2017年12月4日～12月6日
研究代表者 前川 泰則 (Yasunori Maekawa)

目次

1.	Existence of measure-valued solutions to a complete Euler system for a perfect gas	1
	Jan Březina 東京工業大学 (Tokyo Inst. Tech.)	
2.	Asymptotic Stability of Small Oseen Type Navier-Stokes Flow under 3-D Large Perturbation	25
	古川 賢 (Ken Furukawa) 東京大学 (U. Tokyo)	
3.	Asymptotic structure of steady flow around a two-dimensional rotating body	36
	菱田 俊明 (Toshiaki Hishida) 名古屋大学 (Nagoya U.)	
	Mads Kyed Technische Universität Darmstadt	
4.	Do dissipative weak Euler solutions dream of turbulence?	49
	松本 剛 (Takeshi Matsumoto) 京都大学 (Kyoto U.)	
5.	On the Navier-Stokes equations in a curved thin domain	52
	三浦 達彦 (Tatsu-Hiko Miura) 東京大学 (U. Tokyo)	
6.	Remark on the strong solvability of the Navier-Stokes equations in the weak L^n space	66
	岡部 考宏 (Takahiro Okabe) 弘前大学 (Hirosaki U.)	