

Intelligence of Low-dimensional Topology
RIMS 共同研究（公開型）報告集

2023 年 5 月 24 日～5 月 26 日

研究代表者 大槻 知忠 (Tomotada Ohtsuki)
研究代表者 渡邊 忠之 (Tadayuki Watanabe)

目次

1. Visualizing deformations of complex structures on 4-punctured spheres
正井 秀俊 (Hidetoshi Masai) 東京工業大学 (Tokyo Inst. Tech.)
2. The knot quandles of oriented 2-knots
谷口 雄大 (Yuta Taniguchi) 大阪大学 (Osaka U.)
3. An embedding of the Kauffman bracket skein algebra of a surface into a localized quantum torus
Ramanujan Santhanaroubane Univ. Paris-Saclay
4. Construction and manipulation of Seifert surfaces in knot theory (a note in 2023)
平澤 美可三 (Mikami Hirasawa) 名古屋工業大学 (Nagoya Inst. Tech.)
5. The rational abelianization of the Chillingworth subgroup of the mapping class group of a surface
小菅 亮太朗 (Ryotaro Kosuge) 東京大学 (U. Tokyo)
6. Quantum invariants based on ideal triangulations
鈴木 咲衣 (Sakie Suzuki) 東京工業大学 (Tokyo Inst. Tech.)
7. Upsilon and secondary Upsilon invariants of L -space knots
寺垣内 政一 (Masakazu Teragaito) 広島大学 (Hiroshima U.)
8. On keen weakly reducible bridge splittings of links
井戸 純子 (Ayako Ido) 愛知教育大学 (Aichi U. Education)
張 娟姫 (Yeonhee Jang) 奈良女子大学 (Nara Women's U.)
小林 肇 (Tsuyoshi Kobayashi) 奈良女子大学 (Nara Women's U.)

9. Summary on the potential function of the colored Jones polynomial with
arbitrary colors
沢辺 俊 (Shun Sawabe) 早稲田大学 (Waseda U.)
10. On the calculation of the 3-loop invariant and the degree 2 part of the LMO
invariant
山口 貢輝 (Kouki Yamaguchi) 京都大学 (Kyoto U.)
11. On the vanishing and the non-vanishing of the twisted Alexander polynomial
鈴木 正明 (Masaaki Suzuki) 明治大学 (Meiji U.)
12. Problems on Low-dimensional Topology, 2023
大槻 知忠 編 (Tomotada Ohtsuki) 京都大学 (Kyoto U.)

Erratum to “Construction and manipulation of Seifert surfaces in knot theory (a note in 2023)”

Mikami Hirasawa

Nagoya Institute of Technology

Fig. 1(3) was wrong and should be replaced with the knot diagram 12n526 in KnotInfo [1]. The following is the correct version of Fig. 1.




Figure 1: Make a 17 crossing diagram into a symmetric diagram with 12 crossings

The text itself is not affected. In Fig. 14, we showed a scheme to deform the knot diagram in Fig. 1(1) into that in Fig. 1(2), which is detected to be the knot 12n526.

References

- [1] C. Livingston and A. H. Moore, KnotInfo: Table of Knot Invariants,
URL: knotinfo.math.indiana.edu

Nagoya Institute of Technology
Nagoya City Aichi 466-8555 JAPAN
E-mail address: hirasawa.mikami@nitech.ac.jp

名古屋工業大学 平澤 美可三